

Uvijek. Pouzdano. Brtvi.

hauff
technik®



ZAUSTAVITE CURENJE VIDE U GLAVNU PODSTANICU

IBERDROLA 275KV TRAFO STANICA „WINDY HILL“

UPORABA



Rješenje za brtvljenje protiv curenja



Rješenje za brtvljenje protiv curenja



Ulazna točka s testnom ugradnjom 2 brtve



Testna ugradnja 2 brtve



Ugradnja HRD 188-1G-1/97



Ugradnja HRD 188-1G-1/97

UPORABA



Dovršena ugradnja

INFORMACIJE O PROJEKTU

Lokacija	Iberdrola 275 kV trafo stanica „Windy Hill“ Duntocher Road Glasgow
Izvođač	Balfour Beatty
Distributer	Emtelle UK Limited Haughead TD9 8LF Hawick UK

RJEŠENJA HAUFF-TECHNIK

Specifikacija	Učinkovito zabrtvite kabele kako biste spriječili prodor vode na točki ulaska kabela
Zahtjev	Razdijeljena tlačna brtva sa širinom brtvljenja od 30 mm kako bi se spriječio prodor vode
Uporabljeni proizvodi	HRD 188-1G-1/97 HRD 103-1G-1/32

Hauff-Technik GmbH & Co. KG

Robert-Bosch-Straße 9
89568 Hermaringen, NJEMAČKA

Tel. +49 7322 1333-0
Faks +49 7322 1333-999

office@hauff-technik.de