

Multi-line building package

For buildings without a basement

MSH Basic FUBO BHP10m

Article no.: 3030476104, GTIN: 4052487241038



- Duct system checked for pressure tightness
- easy integration of the vapour barrier using the adhesive ribbon

For the collective feeding in and sealing of all supply lines (power, water, telecommunications, gas).



Picture may differ from selected product

FACTS

Advantages:

- Seals all supply lines through one entry
- Continuous duct connection up to the main supply lines at the edge of the property possible
- All services are fed in separately
- The arrangement of the individual services is flexible



Scope of delivery:

- 1 piece basic unit for 4 services incl. Adhesive ribbon
- 1 piece Height-adjustable installation fixture with flanges as water barrier
- 4 pieces spiral hose KES-14078-MSD inclusive ducts and mounted 3-lip sealing
- 1 piece Basic-MBK R4 seal insert MSH
- 1 piece sealing element for drinking water SDW 1x32/40/50
- 1 piece sealing element for electricity SDE 1x26-29/36-39/43-46/48-51
- 1 piece Universal sealing element communications SDK 1x13-21+3x7-13+1x5-13
- 1 piece blind sealing element SD0
- 2 pieces sleeve caps MS78U 1x24-52 for electricity and water
- 1 piece sleeve cap MS78K 1x13-21+3x7-13+1x5-12 for communications
- 1 piece sleeve cap MS78 D0 for blind seal
- 1 piece GMT35 lubricant

Properties:

- DVGW-certified
- Variable height adaptation to the finished floor level
- 50-mm surrounding flange for connecting the vapour barrier

Application range:

- DIN 18533 W1-E
- Waterproof concrete stress class 1, waterproof concrete stress class 2

Tightness:

• gastight and watertight to 1.0 bar

Tests/Standards:

DVGW VP 601

FEATURES

: 10.0

Packing unit: 1

PICTURES





Tel.: +41 62 206 00-70

Fax: +41 62 206 00-79