

ETGAR building package for multi-line building service outlets

for buildings with a basement

HAW-M ETGAR BHP

Article no.: 3030458211, GTIN: 4052487239936

Complete system for distributing the power supply to the entire property from the building connection room

• Integrated leak test equipment

For routing and distributing electric power and communication lines from the building to the property's surrounding grounds.



Picture may differ from selected product

FACTS

Advantages:

- Complete package with connection options for the ETGAR corrugated pipe
- Combinable with the products of the ETGAR garden distribution range
- Visual and tangible installation reliability thanks to built-in inspection openings
- Reliable installation due to front panel with integrated spirit level

Scope of delivery:

- Basic component for installation in ETGAR wall sleeve
- Insulating plate for integrating the building insulation in the area of the building services outlet
- 2 pieces ETGAR sealing elements 1x13-21+3x7-13+1x5-13
- 2 pieces ETGAR sealing elements 1x26-30+3x5-8+2x7-13
- 16-piece corrugated pipe connection set (4 double sleeves DN75 + 12 profile seals DN75) RAS16

Dimensions:

- Compatible with ETGAR wall sleeve, ID: 200 mm
- maximum wall thickness: 500 mm

Application range:

- DIN 18533 W1-E, DIN 18533 W2.1-E
- Waterproof concrete stress class 1, waterproof concrete stress class 2

Tightness:

• gastight and watertight to 1.0 bar

FEATURES

Packing unit: 1

PICTURES





ACCESSORIES REQUIRED





ETGAR wall sleeve for building services outlet

Tel.: +41 62 206 00-70

Fax: +41 62 206 00-79